





2024 - 2025
Products Catalogue

ENGLISH



benkaaricilik.com


CONTENTS

HONEY EXTRACTORS

8-75

STANDART MODEL HONEY EXTRACTORS - TANGENTIAL

Drums : 430 quality stainless steel
Interior basket : AISI 304 stainless steel



8-23

STANDART MODEL HONEY EXTRACTORS - RADIAL


Drums : 430 quality stainless steel
Interior basket : AISI 304 stainless steel



22-26

LUXURY MODEL HONEY EXTRACTORS - TANGENTIAL

Drums : AISI 304 stainless steel
Interior basket : AISI 304 stainless steel



28-42

LUXURY MODEL HONEY EXTRACTORS - RADIAL

Drums : AISI 304 stainless steel
Interior basket : AISI 304 stainless steel



44-62

LUXURY MODEL HONEY EXTRACTORS - SELF-TURNING

Drums : AISI 304 stainless steel
Interior basket : AISI 304 stainless steel



64-75

UNCAPPING



77-82

WAX PROCESSING



84-96

HONEY PROCESSING



98-117

OTHERS



119-123





The business was started by Kadir Küçükbenli with the philosophy of "Success is believing in what you produce".



Benka produced its first smokers and started to deliver them all around Türkiye.



The company has expanded its products range starting to produce honey extractors and other honey processing equipments as well.



Benka continues to develop all its products used at every stage of honey processing, from the hives to our tables, with both traditional and technological methods through research and development and Innovation studies.

1972

1987

2000

And Today

1980

1995

2013


The company entered the bekeeping sector by producing bee feeders.

The inital export to Algeria was the very first step of becoming a worldwide beekeeping brand. From that day on Benka has attended to a variety of Beekeeping Fairs all around the world.

Benka attended its first intertational fair in Kiev, Ukraine organized by Apimondia World Beekeeping Organization.



 WE ARE IN 50 COUNTRIES



ALBANIA
ALGERIA
AUSTRALIA
AZERBAIJAN
AUSTRIA
BOSNIA & HERZEGOVIN
BULGARIA
BELGIUM
CANADA
CHLIE

CROATIA
CYPRUS
DENMARK
ESTONIA
EGYPT
FRANCE
GEORGIA
GERMANY
GRECE
IRAQ



ITALY
IRELAND
ISRAEL
JORDAN
KENYA
LATVIA
LEBANON
LIBYA
LITHUANIA
MADAGASCAR

MOROCCO
NETHERLAND
OMAN
PALESTINE
POLAND
PORTUGAL
ROMANIA
SAUDI ARABIA
SLOVAKIA
SOMALI

SERBIA
SWITZERLAND
SYRIA
TAJIKISTAN
TUNUSIA
UAE
UKRAINE
UNITED KINGDOM
UNITED STATES
YEMEN



STANDART MODEL HONEY EXTRACTORS




Tangential

You need to turn the frames to the other side.

- Drum : 430 quality stainless steel
- Interior Basket : AISI 304 stainless steel
- Control System : Centrifuge Gear or DC Motor (12V-220V)
- Legs : Electrostatic painted
- Honey Gate : Mounted with screw system

BA552ECO 2 Frame Honey Extractor Manual Economic



Gate
Plastic Gate

Centrifuge Gear
Metal Centrifuge Gear
With brake system

Body
Stainless Steel Body
0.50 mm sheet thickness


Ø : 380 mm

h : 730 mm
h : 625 mm


Weight : 8,5 kg
Box Weight : 10,5 kg
Box Size : 45x45x81 cm



AISI 304
INOX




BA552DDEU
2 Frame Honey Extractor
 Manual
 Dadant




Tangential






BA553ECO
3 Frame Honey Extractor
 Manual
 Economic



Tangential




Weight : 14,5 kg
 Box Weight : 16,5 kg
 Box Size : 45x45x81 cm



Weight : 9 kg
 Box Weight : 11 kg
 Box Size : 45x45x81 cm




AISI 304 INOX




AISI 304 INOX




BA553EU
3 Frame Honey Extractor
 Manual



BA553DDEU
3 Frame Honey Extractor
 Manual
 Dadant



h : 1106 mm
 h : 625 mm




Body
 Stainless Body
 0.50 mm sheet thickness




Weight : 15 kg
 Box Weight : 17 kg
 Box Size : 61x61x81 cm



h : 1106 mm
 h : 625 mm



Body
 Stainless Body
 0.50 mm sheet thickness




Weight : 19 kg
 Box Weight : 21,5 kg
 Box Size : 61x61x81 cm




AISI 304
INOX



AISI 304
INOX




BA550ECO
4 Frame Honey Extractor
 Manual
 Economic



Tangential



BA550ECODDEU
4 Frame Honey Extractor
 Manual
 Economic - Dadant




Tangential




Ø : 525 mm


Cover
 Unbreakable Cover
 Hinged system




Centrifuge Gear
 Metal Centrifuge Gear
 With brake system



Body
 Stainless Body
 0.50 mm sheet thickness




h : 1106 mm
 h : 625 mm




Weight : 16 kg
 Box Weight : 18,5 kg
 Box Size : 61x61x81 cm

Ø : 525 mm


Cover
 Unbreakable Cover
 Hinged system




Centrifuge Gear
 Metal Centrifuge Gear
 With brake system



Body
 Stainless Body
 0.50 mm sheet thickness



h : 1106 mm
 h : 625 mm




Weight : 17 kg
 Box Weight : 19,5 kg
 Box Size : 61x61x81 cm

275 mm

430 mm

Painted Basket




Langstroth (24 cm)

4



335 mm

445 mm



335 mm

445 mm



AISI 304
 INOX

Dadant (30 cm)


4

Langstroth (24 cm)


4

Half (16 cm)

8




BA550DDEU
4 Frame Honey Extractor
 Manual
 Dadant



Tangential



BA550DDEU-12V
4 Frame Honey Extractor
 Motorized
 12V-220V - Dadant



Tangential



Cover
 Unbreakable Cover
 Hinged system



Gate
 AISI 304
 Stainless Gate



Centrifuge Gear
 Metal Centrifuge Gear
 With brake system



Body
 Stainless Body
 0.50 mm sheet thickness

Weight : 19,5 kg
 Box Weight : 22 kg
 Box Size : 61x61x81 cm

Cover
 Unbreakable Cover
 Hinged system



Gate
 AISI 304
 Stainless Gate




Motor
 12V - 220V DC Motor

Controller
 Semi-automatic
 Speed potentiometer





Body
 Stainless Body
 0.50 mm sheet thickness


Weight : 24 kg
 Box Weight : 26,5 kg
 Box Size : 61x61x81 cm




AISI 304
INOX



AISI 304
INOX



BA550JDDEU
4 Frame Honey Extractor
 Manual
 Jumbo - Dadant



Tangential



BA550IDMK
4 Frame Honey Extractor
 Manual
 Turnable Inside - Cassette - Dadant




Turnable Inside




Ø : 525 mm


Cover
 Unbreakable Cover
 Hinged system




Centrifuge Gear
 Metal Centrifuge Gear
 With brake system



Gate
 AISI 304
 Stainless Gate



Body
 Stainless Body
 0.50 mm sheet thickness




h : 1331 mm
 h : 850 mm


Weight : 23,5 kg
 Box Weight : 27.5 kg
 Box Size : 61x61x100 cm

Ø : 570 mm


Cover
 Unbreakable Cover
 Hinged system




Centrifuge Gear
 Metal Centrifuge Gear
 With brake system



Gate
 AISI 304
 Stainless Gate




Body
 Stainless Body
 0.50 mm sheet thickness





h : 1206 mm
 h : 750 mm


Weight : 29 kg
 Box Weight : 32 kg
 Box Size : 61x61x80 cm




AISI 304
 INOX



AISI 304
 INOX




BA556
6 Frame Honey Extractor
 Manual



Tangential



BA556 - 12V
6 Frame Honey Extractor
 Motorized
 12V-220V



Tangential



Cover
 Plexyglass Cover
 Hinged system



Gate
 AISI 304
 Stainless Gate

h : 1106 mm
 h : 660 mm



Ø : 630 mm

Centrifuge Gear
 Metal Centrifuge Gear
 With brake system



Body
 Stainless Body
 0.50 mm sheet thickness

Weight : 23 kg
 Box Weight : 26 kg
 Box Size : 73x73x85 cm



Cover
 Plexyglass Cover
 Hinged system



Gate
 AISI 304
 Stainless Gate

h : 1106 mm
 h : 660 mm



Ø : 630 mm

Motor
 12V - 220V DC Motor

Controller
 Semi-automatic
 Speed potentiometer



Body
 Stainless Body
 0.50 mm sheet thickness

Weight : 30 kg
 Box Weight : 33 kg
 Box Size : 73x73x85 cm



AISI 304
INOX

Langstroth (24 cm)

6



AISI 304
INOX

Langstroth (24 cm)


6

STANDART MODEL HONEY EXTRACTORS




Radial

No need to turn the frames. This basket can extract both side of frames at the same time.


Drum : 430 quality stainless steel
 Interior Basket : AISI 304 stainless steel
 Control System : Centrifuge Gear or DC Motor (12V-220V)
 Legs : Electrostatic painted
 Honey Gate : Mounted with screw system




BA553-9 3-9 Frame Honey Extractor Manual



Weight : 22,5 kg
 Box Weight : 25 kg
 Box Size : 61x61x81 cm




AISI 304
INOX




BA553-12
3-12 Frame Honey Extractor
Manual



BA553-12-12V
3-12 Frame Honey Extractor
Motorized
12V-220V




h : 1106 mm
 h : 625 mm





Weight : 22,5 kg
 Box Weight : 25 kg
 Box Size : 61x61x81 cm






h : 1106 mm
 h : 625 mm




Weight : 26,5 kg
 Box Weight : 28,5 kg
 Box Size : 61x61x80 cm



AISI 304 INOX



AISI 304 INOX



BA558-20
8-20 Frame Honey Extractor
 Manual



BA558-20-12V
8-20 Frame Honey Extractor
 Motorized



h : 1106 mm
 h : 660 mm



Body
 Stainless Body
 0.50 mm sheet thickness

Weight : 27 kg
 Box Weight : 30 kg
 Box Size : 73x73x85 cm



h : 1106 mm
 h : 660 mm




Motor
 12V - 220V DC Motor


Controller
 Semi-automatic
 Speed potentiometer

Body
 Stainless Body
 0.50 mm sheet thickness

Weight : 29 kg
 Box Weight : 32 kg
 Box Size : 73x73x85 cm



AISI 304
 INOX



AISI 304
 INOX





LUXURY MODEL HONEY EXTRACTORS


Tangential

You need to turn the frames to the other side.

- Drum : AISI 304 stainless steel
- Interior Basket : AISI 304 stainless steel
- Control System : Centrifuge Gear or AC Motor (Full Automatic / Semi Automatic)
- Legs : Stainless Steel
- Honey Gate : Welded on bottom level



BA553-304 3 Frame Honey Extractor Manual



Cover
Unbreakable Cover
Hinged system



Gate
AISI 304
Stainless Gate



Centrifuge Gear
Metal Centrifuge Gear
With brake system



Body
AISI 304 Stainless Body
0.60 mm sheet thickness


Weight : 15 kg
Box Weight : 17 kg
Box Size : 45x45x81 cm



AISI 304
INOX

Langstroth (24 cm)


BA553-12V-304
3 Frame Honey Extractor
 Motorized
 12V-220V




Tangential



BA553-DD-304
3 Frame Honey Extractor
 Manual
 Dadant



Tangential



Ø : 380 mm

Cover
 Unbreakable Cover
 Hinged system



Gate
 AISI 304
 Stainless Gate



Motor
 12V - 220V DC Motor


Controller
 Semi-automatic
 Speed potentiometer



Body
 AISI 304 Stainless Body
 0.60 mm sheet thickness

h : 1106 mm
 h : 625 mm

Weight : 17 kg
 Box Weight : 19 kg
 Box Size : 45x45x81 cm



Ø : 525 mm

Cover
 Unbreakable Cover
 Hinged system



Gate
 AISI 304
 Stainless Gate
 Welded on lowest level



Centrifuge Gear
 Metal Centrifuge Gear
 With brake system



Body
 Stainless Body
 0.60 mm sheet thickness

h : 1106 mm
 h : 625 mm

Weight : 19 kg
 Box Weight : 22 kg
 Box Size : 61x61x81 cm




AISI 304
INOX



3



AISI 304
INOX




3


3

6

BA550-ECODD-304
4 Frame Honey Extractor
 Manual
 Economic - Dadant



BA550-DD-304
4 Frame Honey Extractor
 Manual
 Dadant



Cover
 Unbreakable Cover
 Hinged system



h : 1106 mm

h : 625 mm



Centrifuge Gear
 Metal Centrifuge Gear
 With brake system



Body
 AISI 304 Stainless Body
 0.60 mm sheet thickness

Gate
 Plastic Gate



Weight : 17 kg
 Box Weight : 19,5 kg
 Box Size : 61x61x81 cm

Cover
 Unbreakable Cover
 Hinged system



h : 1106 mm

h : 625 mm



Centrifuge Gear
 Metal Centrifuge Gear
 With brake system



Body
 AISI 304 Stainless Body
 0.60 mm sheet thickness



Gate
 AISI 304
 Stainless Gate
 Welded on lowest level



Weight : 19 kg
 Box Weight : 22,5 kg
 Box Size : 61x61x81 cm




445 mm




445 mm


445 mm



BA550-DD-12V-304
4 Frame Honey Extractor
 Motorized
 12V-220V - Dadant



BA550MDD-304
4 Frame Honey Extractor
 Motorized
 220V - Semi-automatic - Dadant



Cover
 Unbreakable Cover
 Hinged system



Gate
 AISI 304
 Stainless Gate
 Welded on lowest level



Motor
 12V - 220V DC Motor

Controller
 Semi-automatic
 Speed potentiometer



Body
 AISI 304 Stainless Body
 0.60 mm sheet thickness

Weight : 24,5 kg
 Box Weight : 27 kg
 Box Size : 61x61x81 cm

Cover
 Plexyglass Cover
 Cover Security Switch



Gate
 AISI 304
 Stainless Gate
 Welded on lowest level



Motor
 0.18 KW AC Motor



Controller
 Semi-automatic
 Speed potentiometer




Body
 AISI 304 Stainless Body
 0.60 mm sheet thickness


Weight : 25 kg
 Box Weight : 27,5 kg
 Box Size : 61x61x85 cm




AISI 304
 INOX



AISI 304
 INOX




BA550DD-LION-304
4 Frame Honey Extractor
 With Battery - Motorized
 Dadant




Tangential



BA550-JDD-304
4 Frame Honey Extractor
 Manual
 Jumbo - Dadant



Tangential



Cover
 Unbreakable Cover
 Hinged system



Battery
 Movable Battery
 4 hour operation time
 %100 Full Charge in 2 hour
 Can harvest 360 pcs frame



Body
 AISI 304 Stainless Body
 0.60 mm sheet thickness



Weight : 26 kg
 Box Weight : 28,5 kg
 Box Size : 61x61x81 cm

Motor
 12V - 220V DC Motor

Controller
 Semi-automatic
 Speed potentiometer



Gate
 AISI 304
 Stainless Gate
 Welded on lowest level



Cover
 Unbreakable Cover
 Hinged system



Gate
 AISI 304
 Stainless Gate
 Welded on lowest level





Weight : 23 kg
 Box Weight : 26 kg
 Box Size : 61x61x100 cm



Centrifuge Gear
 Metal Centrifuge Gear
 With brake system




Body
 AISI 304 Stainless Body
 0.60 mm sheet thickness



AISI 304
 INOX



AISI 304
 INOX



BA550-IDMK-304
4 Frame Honey Extractor
 Manual
 Turnable Inside - Cassette - Dadant




Turnable Inside




BA550-IDMS-304
4 Frame Honey Extractor
 Manual
 Non Middle Shaft - Dadant




Turnable Inside




Cover
Plexyglass Cover
Hinged system




Centrifuge Gear
Metal Centrifuge Gear
With brake system



Gate
AISI 304
Stainless Gate
Welded on lowest level




Body
Stainless Body
0.60 mm sheet thickness




Ø : 570 mm
 h : 1236 mm
 h : 750 mm

Weight : 34 kg
 Box Weight : 37 kg
 Box Size : 73x73x85 cm


Cover
Unbreakable Cover
Hinged system




Centrifuge Gear
Metal Centrifuge Gear
With brake system



Gate
AISI 304
Stainless Gate
Welded on lowest level




Body
Stainless Body
0.60 mm sheet thickness



Ø : 525 mm
 h : 1105 mm
 h : 650 mm

Weight : 19,5 kg
 Box Weight : 22 kg
 Box Size : 61x61x81 cm

Cassette : 310 mm



450 mm
 Ø 560 mm

AISI 304 INOX

Dadant (30 cm)
 Langstroth (24 cm)

4
 4

335 mm




500 mm

AISI 304 INOX


Dadant (30 cm)
 Langstroth (24 cm)

4
 4

BA550-MDD-600-304
4 Frame Honey Extractor
 Motorized
 Uncapping and Extractor in one body



BA556-304
6 Frame Honey Extractor
 Manual



Motor
 0.18 Kw AC Motor



W : 1200 mm



Body
 AISI 304
 Stainless Body
 1.50 mm sheet thickness

2 in 1 Body
 Honey Extractor and
 Uncapping



Cover
 Unbreakable
 Plexyglass Cover
 Hinged system



Gate
 AISI 304
 Stainless Gate
 Welded on lowest level



Ø : 630 mm




Centrifuge Gear
 Metal Centrifuge Gear
 With brake system





Body
 AISI 304
 Stainless Body
 0.60 mm sheet thickness

Weight : 25 kg
 Box Weight : 28 kg
 Box Size : 73x73x85 cm




AISI 304
 INOX




AISI 304
 INOX



BA556-12V-304
6 Frame Honey Extractor
 Motorized
 12V-220V



BA556-M-304
6 Frame Honey Extractor
 Motorized
 Semi-automatic




Motor
 12V - 220V DC Motor

Controller
 Semi-automatic
 Speed potentiometer

Body
 AISI 304 Stainless Body
 0.60 mm sheet thickness

Weight : 31 kg
 Box Weight : 34 kg
 Box Size : 73x73x85 cm



Motor
 0.18 Kw AC Motor

Controller
 Semi-automatic
 Speed potentiometer

Body
 AISI 304 Stainless Body
 0.60 mm sheet thickness

Weight : 35,5 kg
 Box Weight : 39 kg
 Box Size : 73x73x85 cm



AISI 304
INOX

Langstroth (24 cm)



AISI 304
INOX


Langstroth (24 cm)

LUXURY MODEL HONEY EXTRACTORS



Radial

No need to turn the frames. This basket can extract both side of frames at the same time.

- Drum : AISI 304 stainless steel
- Interior Basket : AISI 304 stainless steel
- Control System : Centrifuge Gear or AC Motor (Full Automatic / Semi Automatic)
- Legs : Stainless Steel
- Honey Gate : Welded on bottom level



BA553-12-304 3-12 Frame Honey Extractor Manual



Cover
Unbreakable Cover
Hinged system



Gate
AISI 304
Stainless Gate
Welded on lowest level



Ø : 525 mm





Centrifuge Gear
Metal Centrifuge Gear
With brake system



Body
AISI 304 Stainless Body
0.60 mm sheet thickness

Weight : 22 kg
Box Weight : 24,5 kg
Box Size : 61x61x81 cm



3 3 12

BA553-12-12V-304
3-12 Frame Honey Extractor
 Motorized
 12V-220V



BA553-12-M-304
3-12 Frame Honey Extractor
 Motorized
 220V - Semi-automatic



Cover
 Unbreakable Cover
 Hinged system



Gate
 AISI 304
 Stainless Gate
 Welded on lowest level



h : 1065 mm
 h : 625 mm



Motor
 12V - 220V DC Motor


Controller
 Semi-automatic
 Speed potentiometer



Body
 AISI 304 Stainless Body
 0.60 mm sheet thickness

Weight : 23 kg
 Box Weight : 26 kg
 Box Size : 61x61x81 cm

Cover
 Unbreakable Cover
 Cover Security Switch



Gate
 AISI 304
 Stainless Gate
 Welded on lowest level



h : 1190 mm
 h : 625 mm



Motor
 0.18 Kw AC Motor




Controller
 Semi-automatic
 Speed potentiometer





Body
 AISI 304 Stainless Body
 0.60 mm sheet thickness


Weight : 28 kg
 Box Weight : 31 kg
 Box Size : 61x61x85 cm



AISI 304
 INOX



AISI 304
 INOX



BA558-20-304
8-20 Frame Honey Extractor
Manual



BA558-20-12V-304
8-20 Frame Honey Extractor
Motorized
12V-220V



Cover
 Unbreakable
 Plexyglass Cover
 Hinged system



Gate
 AISI 304
 Stainless Gate
 Welded on lowest level



Ø : 630 mm
 h : 1230 mm
 h : 750 mm



Centrifuge Gear
 Metal Centrifuge Gear
 With brake system



Body
 AISI 304 Stainless Body
 0.60 mm sheet thickness

Weight : 28 kg
 Box Weight : 31 kg
 Box Size : 73x73x85 cm

Cover
 Unbreakable
 Plexyglass Cover
 Hinged system



Gate
 AISI 304
 Stainless Gate
 Welded on lowest level



Ø : 630 mm
 h : 1190 mm
 h : 750 mm




Motor
 12V - 220V DC Motor

Controller
 Semi-automatic
 Speed potentiometer



Body
 AISI 304 Stainless Body
 0.60 mm sheet thickness


Weight : 30 kg
 Box Weight : 33 kg
 Box Size : 73x73x85 cm



✦ ✦ ✦
AISI 304
INOX



8 20



✦ ✦ ✦
AISI 304
INOX



8 20


BA558-20-M-304
8-20 Frame Honey Extractor
 Motorized
 220V - Semi-automatic



BA558-20-OM-304
8-20 Frame Honey Extractor
 Motorized
 Full-automatic - 4 Program - Analogue



Cover
 Plexyglass Cover
 Hinged system
 Cover Security Switch



Gate
 AISI 304
 Stainless Gate
 Welded on lowest level



Motor
 0.18 Kw AC Motor



Controller
 Semi-automatic
 Speed potentiometer



Body
 AISI 304 Stainless Body
 0.60 mm sheet thickness

Weight : 32 kg
 Box Weight : 35 kg
 Box Size : 73x73x85 cm

Cover
 Unbreakable Plexyglass Cover
 Hinged system
 Cover Security Switch



Gate
 AISI 304
 Stainless Gate
 Welded on lowest level



Motor
 0.18 Kw AC Motor




Controller
 Full automatic
 4 mode
 Automatic speed and time




Body
 AISI 304 Stainless Body
 0.60 mm sheet thickness

Weight : 32 kg
 Box Weight : 35 kg
 Box Size : 73x73x85 cm



AISI 304
 INOX




AISI 304
 INOX



BA558-20-OMDD-304
8-20 Frame Honey Extractor
 Motorized
 Full-automatic - 4 Program - Dadant - Analogue



BA558-20-OME-304
8-20 Frame Honey Extractor
 Motorized
 Full-automatic - Touch Screen



Cover
 Plexyglass Cover
 Hinged system
 Cover Security Switch

Gate
 AISI 304
 Stainless Gate
 Welded on lowest level



Motor
 0.18 Kw AC Motor

Controller
 Full-automatic
 4 mode
 Automatic speed and time

Body
 AISI 304 Stainless Body
 0.80 mm sheet thickness

Weight : 45,5 kg
 Box Weight : 50 kg
 Box Size : 85x85x112 cm

Cover
 Plexyglass Cover
 Hinged system
 Cover Security Switch

Gate
 AISI 304
 Stainless Gate
 Welded on lowest level




Motor
 0.18 Kw AC Motor



Controller
 Full-automatic
 Touch Screen
 Automatic speed and time
 Extra 3 mode

Body
 AISI 304 Stainless Body
 0.60 mm sheet thickness


Weight : 32,5 kg
 Box Weight : 35,5 kg
 Box Size : 73x73x85 cm



AISI 304
 INOX



AISI 304
 INOX



BA558-20-OMDDE-304

8-20 Frame Honey Extractor

Motorized

Full-automatic - Touch Screen - Dadant



Radial



BA560-M-304

20 Frame Honey Extractor

Motorized

Semi-automatic - Speed potentiometer



Radial



Cover
Plexyglass Cover
Hinged system
Cover Security Switch



Gate
AISI 304
Stainless Gate
Welded on lowest level



Motor
0,18 Kw AC Motor


Controller
Full-automatic
Touch Screen
Automatic speed and time
Extra 3 mod



Body
AISI 304 Stainless Body
0.80 mm sheet thickness

Weight : 54 kg
Box Weight : 58 kg
Box Size : 85x85x112 cm

Cover
Plexyglass Cover
Hinged system
Cover Security Switch



Gate
AISI 304
Stainless Gate
Welded on lowest level



Motor
0.25 Kw AC Motor



Controller
Semi-automatic
Speed potentiometer





Body
Stainless Body
0.80 mm sheet thickness


Weight : 53,5 kg
Box Weight : 58 kg
Box Size : 85x85x112 cm



AISI 304
INOX



AISI 304
INOX



BA560-OM-304

20 Frame Honey Extractor

Motorized

Full-automatic - 4 Program - Analogue



Radial



BA560-OMDD-304

20 Frame Honey Extractor

Motorized


Full-automatic - 4 Program - Analogue - Dadant



Radial



Cover
Plexyglass Cover
Hinged system
Cover Security Switch



h : 1400 mm
h : 850 mm



Motor
0.25 Kw AC Motor




Controller
Full-automatic
4 mode
Automatic speed and time



Body
AISI 304 Stainless Body
0.80 mm sheet thickness

Weight : 54 kg
Box Weight : 58 kg
Box Size : 85x85x112 cm

Cover
Unbreakable Plexyglass
Cover
Hinged system
Cover Security Switch



h : 1300 mm
h : 850 mm



Motor
0.25 Kw AC Motor



Controller
Full-automatic
4 mode
Automatic speed and time




Body
AISI 304 Stainless Body
0.80 mm sheet thickness


Weight : 60 kg
Box Weight : 65 kg
Box Size : 105x105x110 cm



AISI 304
INOX



AISI 304
INOX



BA560-OME-304
20 Frame Honey Extractor
 Motorized
 Full-automatic - Touch Screen



Radial



BA560-OMDDE-304
20 Frame Honey Extractor
 Motorized
 Full-automatic - Touch Screen - Dadant



Radial



Cover
 Unbreakable Plexyglass
 Cover
 Hinged system
 Cover Security Switch



h : 1400 mm

h : 850 mm



Ø : 780 mm

Motor
 0.25 Kw AC Motor



Controller
 Full-automatic
 Touch Screen
 Extra 3 mode



Body
 AISI 304 Stainless Body
 0.80 mm sheet thickness

Weight : 54,5 kg
 Box Weight : 60 kg
 Box Size : 85x85x112 cm

Gate
 AISI 304
 Stainless Gate
 Welded on lowest level



Cover
 Unbreakable Plexyglass
 Cover
 Hinged system
 Cover Security Switch



h : 1300 mm

h : 850 mm



Ø : 950 mm

Motor
 0.25 Kw AC Motor



Controller
 Full-automatic
 Touch Screen
 Extra 3 mode




Body
 AISI 304 Stainless Body
 0.80 mm sheet thickness


Weight : 60 kg
 Box Weight : 65 kg
 Box Size : 105x105x110 cm



AISI 304 INOX



AISI 304 INOX



BA560-OME-600-304

20 Frame Honey Extractor

Motorized

2 in 1 Body - Uncapping - Touch Screen



Radial



BA569-OME-304

54 Frame Honey Extractor

Motorized

Touch Screen - Time and Speed Potentiometer



Radial



Motor

0.25 Kw AC Motor



2 in 1 Body

Honey Ext & Uncapping



W : 1350 mm

h : 1200 mm

Body

AISI 304
Stainless Body
1.50 mm sheet thickness


Controller

Full-automatic
Touch Screen
Extra 3 mode



Cover

Plexyglass Cover
Security Switch



Gate

AISI 304
Stainless Gate
Welded on lowest level



Ø : 950 mm

h : 1500 mm

h : 850 mm

Motor

0.55 Kw AC Motor



Controller

Full-automatic
Touch Screen
Extra 3 program



Body

AISI 304 Stainless Body
0.80 mm sheet thickness

Weight : 64 kg
Box Weight : 69 kg
Box Size : 105x105x110 cm



315 mm

Ø 165 mm

AISI 304
INOX



Langstroth (24 cm)

Half (16 cm)

20

20



Ø 1225 mm

AISI 304
INOX



Half (16 cm)

54

BA570-OMDDE-304

56 Frame Honey Extractor

Motorized

Touch Screen - Time and Speed Potentiometer



Radial



BA570-MILDD-304

56 Frame Honey Extractor

Millenium - Motorized

Touch Screen - Automatic speed and time -Dadant



Radial



Ø : 1270 mm



Cover
Plexyglass Cover
Security Switch

h : 1300 mm
h : 850 mm



Motor
0.55 Kw AC Motor



Controller
Full-automatic
Touch Screen
Extra 3 program



Body
AISI 304 Stainless Body
0.80 mm sheet thickness

Gate
AISI 304
Stainless Gate
Welded on lowest level



Weight : 135 kg
Weight of Pallet : 160 kg
Dimensions of Pallet : 150x150x150 cm

Ø : 1270 mm



Cover
Otomatik Cover
Plexyglass Cover

h : 1150 mm
h : 850 mm



Motor
0.55 Kw AC Motor



Controller
Full-automatic
Touch Screen
Automatic speed and time



Body
AISI 304 Stainless Body
1 mm sheet thickness

Gate
AISI 304
Stainless Gate
Welded on lowest level




Weight : 137 kg
Weight of Pallet : 165 kg
Dimensions of Pallet : 150x150x150 cm




Ø 1225 mm

AISI 304
INOX




Ø 1225 mm

AISI 304
INOX



LUXURY MODEL HONEY EXTRACTORS



Self-Turning

No need to turn the frames. This basket can extract both side of frames at the same time because of the spring system. Due to centrifugal force, the cassettes rotate parallel to the right and left.

Drum : AISI 304 stainless steel
 Interior Basket : AISI 304 stainless steel / Spring system with cassette
 Control System : Centrifuge Gear or AC Motor (Full Automatic / Semi Automatic)
 Legs : Stainless Steel
 Honey Gate : Welded on bottom level



BA550-OMY-304

4 Frame Honey Extractor

Motorized

Full-automatic - Self-turning - 4 Program



Cover
 Unbreakable Plexyglass
 Cover
 Hinged system
 Cover Security Switch



Gate
 AISI 304
 Stainless Gate
 Welded on lowest level



Motor
 0.18 Kw AC Motor




Controller
 Full-automatic
 4 mode
 Automatic speed and time



Body
 AISI 304 Stainless Body
 0.60 mm sheet thickness

Weight : 45 kg
 Box Weight : 49 kg
 Box Size : 73x73x105 cm



BA550-OMYE-304

4 Frame Honey Extractor

Motorized

Full-automatic - Self-turning - Touch Screen



Self-turning



BA556-MY-304

6 Frame Honey Extractor

Motorized


Self-turning - Semi-automatic



Self-turning



Cover
Unbreakable Cover
Hinged system
Cover Security Switch



Gate
AISI 304
Stainless Gate
Welded on lowest level



Ø : 630 mm
h : 1300 mm
h : 750 mm



Motor
0.18 Kw AC Motor




Controller
Full-automatic
Touch Screen
Extra 3 mode



Body
AISI 304 Stainless Body
0.60 mm sheet thickness

Weight : 45 kg
Box Weight : 49 kg
Box Size : 73x73x105 cm

Cover
Unbreakable Cover
Hinged system



Gate
AISI 304
Stainless Gate
Welded on lowest level



Ø : 780 mm
h : 1300 mm
h : 750 mm



Motor
0.25 Kw AC Motor




Controller
Semi-automatic
Speed potentiometer



Body
AISI 304 Stainless Body
0.60 mm sheet thickness


Weight : 62 kg
Box Weight : 67 kg
Box Size : 85x85x112 cm



AISI 304
INOX



4
4



AISI 304
INOX



6
6

BA556-OMY-304

6 Frame Honey Extractor

Motorized

Self-turning - Full-automatic - 4 Program



Self-turning



BA556-OMYDD-304

6 Frame Honey Extractor

Motorized

Full-automatic - Self-turning - 4 Program - Dadant



Self-turning



Ø : 780 mm

Cover
Unbreakable Cover
Hinged system

Motor
0.25 Kw AC Motor

Controller
Full-automatic
4 mode
Automatic speed and time

Gate
AISI 304
Stainless Gate
Welded on lowest level

Body
AISI 304 Stainless Body
0.80 mm sheet thickness

h : 1400 mm
h : 850 mm

Weight : 62 kg
Box Weight : 68 kg
Box Size : 85x85x112 cm

Ø : 850 mm

Cover
Unbreakable Cover
Hinged system
Cover Security Switch

Motor
0.25 Kw AC Motor

Controller
Full-automatic
4 mode
Automatic speed and time

Gate
AISI 304
Stainless Gate
Welded on lowest level

Body
AISI 304 Stainless Body
0.80 mm sheet thickness

h : 1200 mm
h : 850 mm

Weight : 68 kg
Box Weight : 75 kg
Box Size : 95x95x110 cm

445 mm

φ 120 mm

AISI 304 INOX

Langstroth (24 cm)

Half (16 cm)

6 6

445 mm

φ 830 mm

AISI 304 INOX

Dadant (30 cm)

Langstroth (24 cm)

Half (16 cm)

6 6 12

BA556-OMYE-304

6 Frame Honey Extractor

Motorized

Full-automatic - Self-turning - Touch Screen



Self-turning



BA556-OMYDDE-304

6 Frame Honey Extractor

Motorized - Dadant

Full-automatic - Self-turning - Touch Screen



Self-turning



Cover
Unbreakable Cover
Hinged system
Cover Security Switch



Gate
AISI 304
Stainless Gate
Welded on lowest level



Motor
0.25 Kw AC Motor



Controller
Full-automatic
Touch Screen
Time and
Speed Adjustment
Extra 3 mod



Body
AISI 304 Stainless Body
0.80 mm sheet thickness

Weight : 62 kg
Box Weight : 68 kg
Box Size : 85x85x112 cm

Cover
Unbreakable Cover
Hinged system
Cover Security Switch



Gate
AISI 304
Stainless Gate
Welded on lowest level



Motor
0.25 Kw AC Motor




Controller
Full-automatic
Touch Screen
Time and Speed Adjustment
Extra 3 mod



Body
AISI 304 Stainless Body
0.80 mm sheet thickness

Weight : 68,5 kg
Box Weight : 75 kg
Box Size : 95x95x110 cm




AISI 304
INOX




6

6



AISI 304
INOX



6

6

12


BA562-OMYDD-304
12 Frame Honey Extractor
 Motorized
 Full-automatic - 4 Program - Dadant



BA562-OMYDDE-304
12 Frame Honey Extractor
 Motorized
 Full-automatic - Self-turning - Touch Screen



Cover
 Unbreakable Cover
 Hinged system
 Cover Security Switch



h : 1300 mm
 h : 850 mm



Gate
 AISI 304
 Stainless Gate
 Welded on lowest level



Motor
 0.25 Kw AC Motor




Controller
 Full-automatic
 4 mode
 Automatic speed and time



Body
 AISI 304 Stainless Body
 0.80 mm sheet thickness

Weight : 100 kg
 Box Weight : 105 kg
 Box Size : 105x105x110 cm

Cover
 Unbreakable Cover
 Hinged system
 Cover Security Switch



h : 1300 mm
 h : 850 mm



Gate
 AISI 304
 Stainless Gate
 Welded on lowest level



Motor
 0.25 Kw AC Motor




Controller
 Full-automatic
 Touch Screen
 Time and Speed
 Adjustment
 Extra 3 mod



Body
 AISI 304 Stainless Body
 0.80 mm sheet thickness


Weight : 100 kg
 Box Weight : 105 kg
 Box Size : 105x105x110 cm




445 mm

Ø 920 mm

AISI 304
 INOX




12 12 24



445 mm

Ø 920 mm

AISI 304
 INOX



12 12 24


BA562-MILDD-304
12 Frame Honey Extractor
 Millenium - Motorized
 Touch Screen - Self-turning - Dadant




BA564-OMYDDE-304
24 Frame Honey Extractor
 Motorized
 Touch Screen - Self-turning - Dadant




Cover
 Plexyglass Cover
 Automatic Cover Opening




Gate
 AISI 304
 Stainless Gate
 Welded on lowest level




Motor
 0.25 Kw AC Motor
 Alltan Motorized



Controller
 Full-automatic
 Touch Screen
 Time and
 Speed potentiometer




Body
 AISI 304 Stainless Body
 0.80 mm sheet thickness




Ø : 950 mm
 h : 1250 mm
 h : 850 mm

Weight : 105 kg
 Weight of Pallet : 130 kg
 Dimensions of Pallet : 105x105x145 cm


Cover
 Unbreakable Cover
 Hinged system
 Cover Security Switch




Gate
 AISI 304
 Stainless Gate
 Welded on lowest level




Motor
 0.55 Kw AC Motor



Controller
 Full-automatic
 Touch Screen
 Time and Speed Adjustment
 Extra 3 mod




Body
 AISI 304 Stainless Body
 1 mm sheet thickness





Ø : 1270 mm
 h : 1300 mm
 h : 850 mm


Weight : 181 kg
 Weight of Pallet : 220 kg
 Dimensions of Pallet : 150x150x150 cm



AISI 304
 INOX



AISI 304
 INOX



BA564-MILDD-304

24 Frame Honey Extractor

Millenium- Motorized


Touch Screen - Self-turning - Dadant



Self-turning



UNCAPPINGS



Ø : 1270 mm

Cover
Plexyglass Cover
Automatic Lid Opening



Gate
AISI 304
Stainless Gate
Welded on lowest level



Motor
0.55 Kw AC Motor
Under Motorized




Controller
Full-automatic
Touch Screen
Time and Speed
Adjustment




Body
AISI 304 Stainless Body
1 mm sheet thickness



Weight : 185 kg
Weight of Pallet : 225 kg
Dimensions of Pallet : 150x150x145 cm



AISI 304
INOX




BA604-P
Mini Uncapping
Plastic




BA604-304
Mini Uncapping
AISI 304



Frame Holder
AISI 304 Stainless
Molding on cover



Uncapping Holder
AISI 304 Stainless
2 side operation



Weight : 4,5 kg
Box Weight : 6 kg
Box Size : 50x64x64 cm



Sieve
AISI 304 Stainless



Uncapping Holder
AISI 304 Stainless



Weight : 4,5 kg
Box Weight : 6 kg
Box Size : 55x35x25 cm



BA600K-304
Uncapping
 100 cm



BA601-430
Uncapping
 75 cm
 Economic



Uncapping Holder
 AISI 304 Stainless



Frame Holder
 AISI 304 Stainless
 2 side operation



Frame Holder
 Adjustable Frame Holder



Body
 AISI 304 Stainless
 0.80 mm

Sieve
 AISI 304 Stainless



Gate
 AISI 304 Stainless



Weight : 19 kg
 Box Weight : 21 kg
 Box Size : 55x55x111 cm

Uncapping Holder
 AISI 304 Stainless



Frame Holder
 AISI 304 Stainless
 2 side operation



Body
 Stainless steel
 0.80 mm



Sieve
 AISI 304 Stainless



Gate
 Plastic



Weight : 16 kg
 Box Weight : 18 kg
 Box Size : 55x55x85 cm




BA602-304
Uncapping
 150 cm




BA602-430
Uncapping
 150 cm
 Economic



Uncapping Holder
 AISI 304 Stainless



Frame Holder
 AISI 304 Stainless
 2 side operation



Body
 AISI 304 Stainless
 1 mm

Sieve
 AISI 304 Stainless




Gate
 AISI 304 Stainless



Weight : 23,5 kg
 Box Weight : 25,5 kg
 Box Size : 55x55x159 cm

Uncapping Holder
 AISI 304 Stainless



Frame Holder
 AISI 304 Stainless
 2 side operation



Body
 Stainless steel
 1 mm



Sieve
 AISI 304 Stainless



Gate
 Plastic





Weight : 23,5 kg
 Box Weight : 25,5 kg
 Box Size : 55x55x159 cm



WAX PROCESSING



BA649
Wax Press
Manual




Body
AISI 304 Stainless
Perforated sheet
1 mm sheet thickness

Legs
Demountable



Weight : 12,5 kg
Box Weight : 15,5 kg
Box Size : 45x45x63 cm

AISI 304
INOX

BA650
50 Kg Wax Press
 Motorized
 50 kg/h



BA651
200 Kg Wax Press
 Motorized
 200 kg/h



Motor
 0,55 Kw AC Motor
 220V
 Semi-automatic , Speed potentiometer

Body
 AISI 304 Stainless Body
 1 mm sheet thickness

Weight : 62,5 kg
 Weight of Pallet : 80 kg
 Dimensions of Pallet : 60x120x100 cm




Motor
 0,55 Kw AC Motor
 220V
 Semi-automatic , Speed potentiometer

Body
 AISI 304 Stainless Body
 1 mm sheet thickness




Weight : 100 kg
 Weight of Pallet : 130 kg
 Dimensions of Pallet : 80x140x120 cm




BA652
10 Frame Wax Melter
 Steam System
 Without Isolated - With Fire





BA653
20 Frame Wax Melter
 Steam System
 Without Isolated - With Fire




Weight : 20 kg
 Box Weight : 22 kg
 Box Size : 55x55x55 cm




Weight : 50 kg
 Box Weight : 55 kg
 Box Size : 110x70x80 cm




BA654
20 Frame Wax Melter
 Steam System
 Isolated - With Fire



BA657
20 Frame Wax Melter
 Steam System
 Isolated - With Fire



Cover
With Suspension



Gate
Wax gate




Isolated Body



Sieve

AISI 304 Stainless



Body

Stainless Body
1 mm sheet thickness

Gate

Water filling pipe



Weight : 66,5 kg
 Box Weight : 69,5 kg
 Box Size : 110x70x80 cm

Cover
With Suspension



Gate
Wax gate



Isolated Body



Sieve

AISI 304 Stainless



Body



AISI 304 Stainless Body
1 mm sheet thickness

Gate


Water filling pipe




Weight : 66,5 kg
 Box Weight : 69,5 kg
 Box Size : 110x70x80 cm



BA656
Wax Melter
Solar



BA658
20 Frame Wax Melter
With Fan
Isolated Body - 78 cm



Cover
With Lock



Sieve
AISI 304 Stainless



Leg
360° rotating tray



Body
Stainless Body
1 mm sheet thickness

Sieve
AISI 304 Stainless Sieve




Gate
AISI 304
Stainless Gate



Fan
2000 W Resistance
and Fan
Maximum 120°




Body
AISI 304 Stainless Body
1.20 mm sheet thickness



Isolated Body

Weight : 20 kg
Box Weight : 22 kg
Box Size : 67x93x31 cm

Weight : 52 kg
Box Weight : 56 kg
Box Size : 85x85x110 cm




20

20

BA659
Wax Melter
 With Fan
 Isolated Body - 52 cm



BA660
Wax Seperator / With Steam
 Motorized
 15 Kg Wax



Sieve
 AISI 304 Stainless Sieve



Gate
 AISI 304
 Stainless Gate



Fan
 2000W Resistance and Fan
 Maximum 120°




Body
 AISI 304 Stainless Body
 1.20 mm sheet thickness

Isolated Body



Weight : 36 kg
 Box Weight : 39 kg
 Box Size : 61x61x102 cm

Cover
 Stainless Steel
 Hinged System



Steam Entrance



Motor
 0.55 Kw AC Motor

Controller
 Speed adjustment



Body
 Stainless Steel
 1 mm sheet thickness


AISI 304
INOX

Half (16 cm)



Sieve
 AISI 304
 Stainless Steel



BA661
Steam Generator
 6 KW



BA662
Frame Cleaner / Sterilization
 100°
 (Cleans beeswax)



Honey Tanks

430 Quality Stainless Steel Drum



HONEYPROCESSING



BA530-430
30 Kg
Ø : 300 mm



BA532-430
50 Kg
Ø : 300 mm



BA534-430
100 Kg
Ø : 380 mm



BA538-430
200 Kg
Ø : 520 mm



BA542-430
300 Kg
Ø : 570 mm



BA544-430
500 Kg
Ø : 630 mm



**Cover
Lock**



**Can be packed
inside**



**Carrying
Handle**



**Stainless
Gate**



Honey Tanks

AISI 304 Stainless Steel Drum



Honey Decrystallization

AISI 304 Stainless Steel

Double Walled



BA530-MS-304
30 Kg
Ø : 300 mm



BA532-MS-304
50 Kg
Ø : 300 mm




BA534-MS-304
100 Kg
Ø : 380 mm



BA572-304
50 Kg
Ø : 450 mm



BA580-304
250 Kg
Ø : 510 mm



BA576-304
150 Kg
Ø : 450 mm



BA538-MS-304
200 Kg
Ø : 520 mm



BA542-MS-304
300 Kg
Ø : 570 mm



BA544-MS-304
500 Kg
Ø : 630 mm



BA574-304
100 Kg
Ø : 450 mm



BA578-304
200 Kg
Ø : 510 mm



Cover Lock



Can be packed inside



Carrying Handle



Bottom Level Gate



Carrying Handle



Heat Indigator



Drain Gate




Honey Gate



Honey Heater
Bainmarie System
 AISI 304 Stainless Steel



BA701
Honey Sump
 Vertical



Heat Indigator



Drain Gate



Honey Gate



Heat Adjustment



Sieve
2 pcs filter
AISI 304 Stainless Steel



Honey Tank's Legs
Electrostatic Paint



...adds value to honey

BA882S-30-50
30-50 Kg
Demountable



BA882S-100
100 Kg
Demountable



BA882S-200
200 Kg
Demountable



BA882S-300-500
300-500 Kg
Demountable





Honey Sieve

AISI 304 Stainless Steel



BA883
Bucket
Holder



BA884
Honey Gate
Rotating Kit



BAE01 - 30 cm - 30 ve 50 kg

BAE02 - 38 cm - 100 kg

BAE03 - 51 cm - 200 kg

BAE04 - 57 cm - 300 kg

BAE05 - 63 cm - 500 kg



BA592
50 Kg Honey Creamer
 Heater



BA593
100 Kg Honey Creamer
 Without Heater



Double Wall



Interior
 AISI 304
 Stainless Mixer



Gate
 AISI 304 Stainless Steel



Weight : 35 kg
 Box Weight : 38 kg
 Box Size : 61x61x80 cm

Controller

Speed adjustment and timer



Motor

0.55 Kw AC Motor



Heater Control

2000W Resistance
 0-80°



Body

AISI 304 Stainless Body
 1.20 mm sheet thickness

Motor

0.55 Kw AC Motor



Interior

AISI 304
 Stainless Mixer



Weight : 30 kg
 Box Weight : 33 kg
 Box Size : 61x61x80 cm

Controller

Speed adjustment and timer



Body

AISI 304 Stainless Body
 0,60 mm sheet thickness

Gate

Welded on lowest level



BA596
150 Kg Honey Creamer
 Heater



BA599
250 Kg Honey Creamer
 Heater



Ø : 450 mm

Double Wall

Motor
0.55 Kw AC Motor

Interior
AISI 304
Stainless Mixer

Controller
Speed adjustment and timer

Body
AISI 304 Stainless Body
1.20 mm sheet thickness

Heater Control
2000W Resistance
0-80°

h : 1180 mm

Weight : 50 kg
 Box Weight : 55 kg
 Box Size : 58x58x130 cm

Ø : 510 mm

Double Wall

Interior
AISI 304
Stainless Mixer

Gate
Welded on lowest level

Controller
Speed adjustment and timer

Body
AISI 304 Stainless Body
1.20 mm sheet thickness

Heater Control
2000W Resistance
0-80°

h : 1450 mm

Weight : 65 kg
 Box Weight : 70 kg
 Box Size : 58x58x160 cm

✦ ✦ ✦
 ✦ ✦ ✦
AISI 304
INOX

✦ ✦ ✦
 ✦ ✦ ✦
AISI 304
INOX

BA702
Honey Sump
 Horizontal - 3 Sieve



BA908
Honey Pump



Cover
 AISI 304 Stainless
 With Handle

Sieve
 3 pcs Sieve
 AISI 304 Stainless

Heater
 2000W Resistance
 0-80°

Body
 AISI 304 Stainless Body
 1.20 mm sheet thickness

Double Wall

Weight : 38,5 kg
 Box Weight : 42 kg
 Box Size : 55x65x108 cm



Working Method
 Impeller

Interior
 Food Grade Rubber

Motor
 180W motor

Pump Body
 AISI 304 Stainless steel

Weight : 16 kg



BA655
Honey Heating Cabinet
 Isolated
 245 jar - 8 Tin Capacity - With Trays



BA913
Jar Labelling Machine
 Manual
 Adjustable Label Size



Capacity
 245 jar
 8 tin



Interior
 4 pcs stainless steel shelf



Air Circulation
 1000 W Resistance



Body
 Heat Resistant pannel
 40 mm sheet thickness

Weight : 94 kg
 Weight of Pallet : 110 kg
 Dimensions of Pallet : 80x80x120 cm



Weight : 3 kg
 Box Weight : 4 kg
 Box Size : 49x27x20 cm


BA901
Honey Filling
Manual
Load-Cell



BA900
Honey Filling
Automatic - Tray System



- ◀ **Capacity**
150jar per hour
- ◀ **Body**
AISI 304 Stainless
1.5 mm sheet thickness
- ◀ **Working Method**
Scales System and pneumatic



- ◀ **Working Method**
Impeller System
Automatic with Sensor
- ◀ **Capacity**
200 jar per hour
- ◀ **Body**
AISI 304 Stainless
1.5 mm sheet thickness


✦ ✦ ✦
AISI 304
INOX

✦ ✦ ✦
AISI 304
INOX

BA902
Honey Filling
Full Automatic



OTHERS




It depends of your choise
Please ask about your offer

BA019 Pollen Cleaning



BA020 Pollen Dryer



Wood body (chipboard)
Air fan
4 wheels
220 v

Sieve
Aluminum Sieve





Weight : 19 kg
Box Weight : 22 kg
Box Size : 40x70x75 cm



Wood body (chipboard)
Air fan
4 wheels
220V
1000W heater rezistans
10 trays

Weight : 40 kg
Box Weight : 43,5 kg
Box Size : 48x80x65 cm



For presentation in hotels and restaurants

BA552Ş

70 LT Syrup Mixer



BA550Ş

170 LT Syrup Mixer



BA550JŞ

250 LT Syrup Mixer



Unbreakable Cover




Global Valve



AISI 304 Stainless Mixer

BA500BSD

Vertical Honey Stand



BA500BSY


Horizontal Honey Stand



Weight : 3 kg
Box Weight : 4 kg
Box Size : 42x51x17 cm



Smoker



BA511

Galvanized Smoker



BA512

Stainless Smoker



BA514

Stainless Medicine Smoker



BA516

Stainless Caged Smoker



BA517

Galvanized Bucket Smoker



BA518

Stainless Bucket Smoker



BA519

Stainless Jumbo Smoker

